IN THE UNITED STATES DISTRICT COURT FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA AT CHARLESTON

IN RE: ETHICON, INC., PELVIC REPAIR SYSTEM PRODUCTS LIABILITY LITIGATION	Master File No. 2:12-MD-02327 MDL 2327
	JOSEPH R. GOODWIN
	U.S. DISTRICT JUDGE
THIS DOCUMENT RELATES TO: WAVE 3 CASES	

MOTION TO EXCLUDE THE OPINIONS AND TESTIMONY OF DR. JIMMY W. MAYS

Defendants Ethicon, Inc., Ethicon LLC, and Johnson & Johnson ("Ethicon") move to exclude the opinions and testimony of Dr. Jimmy W. Mays, Ph.D. Dr. Mays' proposed opinion testimony is unreliable and irrelevant under the standard set forth in *Daubert v. Merrell Dow Pharm.*, *Inc.*, 509 U.S. 579 (1993). Ethicon incorporates its Memorandum in Support of Motion to Exclude The Opinions and Testimony of Dr. Jimmy W. May, and also the following exhibits:

Exhibit	Description
A	List of cases to which this motion applies;
В	Expert Report of Jimmy W. Mays;
C	Huskey 8/25/2014 Trial Transcript;
D	Guelcher 3/23/16 Deposition Transcript;
E	Mays 3/2/16 Deposition Transcript;
F	Priddy 3/8/16 Deposition Transcript;
G	D. Ostergard, Degradation, Infection and Heat Effects on Polypropylene Mesh for Pelvic Implantation: What Was Known and When It Was

- H W. Jongebloed & J. Worst, *Degradation of Polypropylene in the Human Eye: A SEM Study*, 64 Documenta Opthamologica 143 (1986);
- W. Jongebloed, et al., Mechanical and Biomechanical Effects of Man-Made Fibres and Metals in the Human Eye: A SEM Study, 61 Documenta Opthamologica 303 (1986);
- J C.R. Costello, et al., Characterization of Heavyweight and Lightweight Polypropylene Prosthetic Mesh Explants From a Single Patient, 14 Surg. Innov. 168 (2007);
- K C.R. Costello, et al., Materials Characterization of Explanted Hernia Meshes, 83B J. Biomed. Mater. Res Part B: Appl Biomater 44 (2007);
- C. Mary, et al., Comparison of the In Vivo Behavior of Polyvinylidene Fluoride and Polypropylene Sutures Used in Vascular Surgery, 44 Am. Soc'y Artificial Internal Organs J. 199 (1998);
- M Expert Report of Shelby Thames;
- N B. Matlaga Ltr. to Dr. A. Lunn (Mar. 23, 1983), ETH.MESH.15955438-73);
- O IR Microscopy of Explanted Prolene (Sept. 30, 1987), ETH.MESH.12831391–1404;
- P Jordi 10/30/13 Deposition Transcript;
- Q Seven Year Data for Ten Year Prolene Study (Oct. 15, 1992), ETH.MESH.09888220; and
- R U. Klinge, et al., Shrinkage of Polypropylene Mesh In Vivo: An Experimental Study in Dogs, 164 Eur. J. Surgery. 965–969 (1998).

WHEREFORE, FOR THESE REASONS and as more fully set forth in Ethicon's supporting memorandum of law, Ethicon respectfully requests that this Court enter an order granting Ethicon's Motion to Exclude the Opinions and Testimony of Dr. Jimmy W. May.

Respectfully submitted,

ETHICON, INC., ETHICON LLC, AND JOHNSON & JOHNSON

/s/ Philip J. Combs

David B. Thomas (W.Va. Bar #3731)
Philip J. Combs (W.Va. Bar #6056)
THOMAS COMBS & SPANN PLLC
300 Summers St.
Suite 1380 (25301)
P.O. Box 3824
Charleston, WV 25338
Telephone: 304.414.1807
dthomas@tcspllc.com
pcombs@tcspllc.com

/s/ Christy D. Jones

Christy D. Jones BUTLER SNOW LLP 1020 Highland Colony Parkway Suite 1400 (39157) P.O. Box 6010 Ridgeland, MS 39158-6010 Telephone: 601.985.4523 christy.jones@butlersnow.com

IN THE UNITED STATES DISTRICT COURT FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA AT CHARLESTON

IN RE: ETHICON, INC., PELVIC REPAIR SYSTEM PRODUCTS LIABILITY LITIGATION

Master File No. 2:12-MD-02327 MDL 2327

> JOSEPH R. GOODWIN U.S. DISTRICT JUDGE

THIS DOCUMENT RELATES TO: WAVE 3 CASES

CERTIFICATE OF SERVICE

I certify that on September 19, 2016, I electronically filed this document with the clerk of the court using the CM/ECF system, which will send notification of this filing to CM/ECF participants registered to receive service in this MDL.

/s/ Philip J. Combs

pcombs@tcspllc.com

David B. Thomas (W.Va. Bar #3731)
Philip J. Combs (W.Va. Bar #6056)
THOMAS COMBS & SPANN PLLC
300 Summers St.
Suite 1380 (25301)
P.O. Box 3824
Charleston, WV 25338
Telephone: 304.414.1807
dthomas@tcspllc.com